

THE EVENT CO

2026



PRODUCT GUIDE

Your Ultimate Resource for Event and Exhibition Audio Visual Solutions

A comprehensive guide, crafted to shed light on our extensive range of products and services tailored specifically to meet your event and exhibition AV needs.



01268 515100



theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)

ABOUT THE EVENT CO



We are a leading full-service event and exhibition production company, offering a comprehensive range of bespoke audio visual solutions designed to elevate every event experience for clients across the UK, Europe, and North America.

Specialising in the integration of digital and interactive technology, we create dynamic, memorable experiences for a wide array of events, including exhibitions, product launches, conferences, award ceremonies, and more. With access to an extensive inventory of cutting-edge AV technology and a highly skilled team, we are equipped to serve clients across various sectors, guiding them from the initial concept through to successful delivery.

Our commitment is to simplify your event and exhibition planning process by reducing the need for multiple suppliers, ensuring a smooth, efficient, and high-quality experience from start to finish.



01268 515100



theeventco.uk




hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)

OUR WORK



Private Events



Charity Events



Exhibitions

VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO



VIDEO

Whether you're creating a dynamic visual environment or enhancing an event with striking displays, our versatile range of LED technologies and video solutions has everything you need to captivate your audience and elevate any exhibition or event.



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)

VIDEO

ALUVISION LED

ABSEN INDOOR LED

ABSEN OUTDOOR LED

LED PROCESSING

SCREENS


INTERACTIVE

COMPUTING

TABLETS

PROJECTION

ACCESSORIES



Aluvision Hi-LED 55

Aluvision's Hi-LED tiles offer seamless integration with all Aluvision and BeMatrix frame systems, allowing for versatile combinations. Whether utilised on walls or ceilings, the adaptable design accommodates straight, angled or curved configurations, offering limitless possibilities.




Aluvision Hi-LED 55
Straight Tile



Aluvision Hi-LED 55+
Edge



Aluvision Hi-LED 55+
Cube



Aluvision Hi-LED 55
Floor



Aluvision Hi-LED 55
Concave
R437 & R1476



Aluvision Hi-LED 55
Convex
R437



SPECIFICATION

Panel:	Aluision Hi-LED 55 / 55+ 2.5mm	Aluision Hi-LED 55 / 55+ 2.8mm	Aluision Hi-LED 55 Concave R437	Aluision Hi-LED 55 Convex R437 & Concave R1476
Pixel Pitch:	2.5mm	2.8mm	2.8mm	2.8mm
Panel Dimensions:	496 x 496 x 55mm	496 x 496 x 55mm	689 x 496 x 55mm	772 x 496 x 55mm
Pixel Resolution:	192 x 192px	176 x 176px	244 x 176px	274 x 176px
Brightness:	1000 nits	1000 nits	1000 nits	1000 nits
Panel Weight:	9.8kg	8.8kg	14kg	14kg
Processing:	Novastar	Novastar	Novastar	Novastar


CONFIGURATIONS





Absen Polaris - Indoor

Absen Polaris Indoor LED Panels offer superior image quality with high brightness (up to 1000 nites) and a wide colour gamut, ensuring vibrant, sharp visuals in any lighting. With their slim design, lightweight build and harmoniously designed 500mm panel increments, these panels are perfect for seamless installations for a wide range of events and exhibitions.



Absen AX1.5
1.5mm



Absen PL1.9
1.9mm



Absen PL2.5
2.5mm
Flat / Cube



Absen PL2.5 Flex
2.5mm



Absen PL3.9
3.9mm



Absen PL3.9 XL
3.9mm



Absen MR PL2.5 Floor
2.5mm




Absen LR3.9 XL
Transparent LED
3.9mm



SPECIFICATION

Panel:	Absen AX1.5 Pro 1.5mm	Absen PL1.9 V2 1.9mm	Absen PL2.5 2.5mm	Absen PL3.9 3.9mm	Absen PL3.9 XL 3.9mm	Absen PL2.5 2.5mm <i>Floor</i>	Absen LR3.9 XL 3.9mm <i>Transparent</i>
Pixel Pitch:	1.5mm	1.9mm	2.5mm	3.9mm	3.9mm	2.5mm	3.9mm
Panel Dimensions:	610 x 343 x 80mm	500 x 500 x 78mm	500 x 500 x 78mm	500 x 500 x 78mm	500 x 1000 x 78mm	500 x 500 x 80mm	1000 x 500 x 85mm
Category:	Flat	Flat, Curve, Cube	Flat, Curve, Cube, Flex	Flat, Curve	Flat, Curve	Flat	Flat, Cube, Curve
Pixel Resolution:	384 x 216px	256 x 256px	200 x 200px	128 x 128px	128 x 256px	200 x 200px	256 x 64px
Brightness:	1800 nits	1000 nits	1200 nits	1000 nits	1000 nits	1000 nits	4000 nits
Panel Weight:	8.5kg	7.5kg	8.6kg	7.5kg	12.5kg	12kg	7.7kg
Processing:	Novastar	Novastar	Novastar	Novastar	Novastar	Brompton	Novastar

CONFIGURATIONS





Absen Polaris - Outdoor

Absen Outdoor LED Panels offer exceptional image clarity with up to 5000 nits of brightness, ensuring vibrant visuals even in direct sunlight. Built for durability, they feature an IP65 rating for weather resistance and high refresh rates (up to 3840Hz) for smooth, flicker-free performance. These energy-efficient panels are perfect for any outdoor events, providing reliable, long-lasting performance in all weather conditions.



Absen PL3.9
Pro 3.9mm
Flat / Cube



Absen PL3.9 Pro XL
3.9mm
Flat / Cube



Absen PL4.8 Pro XL
4.8mm



Absen LR3.9 XL
3.9mm
Transparent



SPECIFICATION

Panel:	Absen PL3.9 Pro 3.9mm <i>Flat / Cube</i>	Absen PL3.9 Pro XL 3.9mm <i>Flat / Cube</i>	Absen PL4.8 XL 4.8mm	Absen LR3.9 XL 3.9mm <i>Transparent</i>
Pixel Pitch:	3.9mm	3.9mm	4.8mm	3.9mm
Panel Dimensions:	500 x 500 x 78mm	500 x 1000 x 78mm	500 x 1000 x 78mm	1000 x 500 x 85mm
Pixel Resolution:	128 x 128px	128 x 256px	104 x 208px	256 x 64px
Brightness:	4500 nits	4500 nits	4500 nits	4000 nits
Panel Weight:	8.1kg	13.8kg	14kg	7.7kg
Processing:	Novastar	Novastar	Novastar	Novastar

CONFIGURATIONS



LED Processors

Manage your LED displays with processors from NovaStar and Brompton Technology. NovaStar provides scalable control for large displays, while Brompton ensures superior color accuracy and real-time HDR for high-end events. Both deliver exceptional performance and image quality.



NOVA MCTRL 660

The MCTRL660 offers a cost-effective solution for use on full HD pixel capacity LED walls.

SPECIFICATION

Input Res: 1920 x 1200px

Capacity: 2.3 Million Pixels

Output Interface: 4 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ



NOVA MCTRL 660 PRO

The MCTRL660 Pro is one of Novastar's professional controllers supporting custom resolutions for larger LED walls.

SPECIFICATION

Input Res: 1920 x 1200px

Capacity: 2.3 Million Pixels

Output Interface: 6 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ



NOVA VX1000

The VX1000 is Novastar's all-in-one controller that integrates video processing and control into one box.

SPECIFICATION

Input Res: 3840 x 1080px

Capacity: 6.5 Million Pixels

Output Interface: 10 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ



NOVA MCTRL 4K

The MCTRL4K is a 4K*2K controller which can support any custom resolution within 3840 x 2160@60Hz,

SPECIFICATION

Input Res: 3840 x 2160px

Capacity: 8.2 Million Pixels

Output Interface: 16 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ





NOVA COEX MX30

The MX30 is a 4K LED video processor designed to operate Novastar’s advanced COEX control system.

SPECIFICATION

Input Res: 3840 x 2160px

Capacity: 6.5 Million Pixels

Output Interface: 10 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ



NOVA COEX MX40 Pro

The MX40 Pro is Novastar’s flagship 4K LED controller from the COEX series. With numerous inputs and 20 LED outputs.

SPECIFICATION

Input Res: 3840 x 2160px

Capacity: 8.8 Million Pixels

Output Interface: 20 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ



BROMPTON Tessera S8

Brompton’s Tessera S8 LED processor is perfect for high profile projects that do not require a large output capacity.

SPECIFICATION

Input Res: 4096 x 2160px

Capacity: 4.5 Million Pixels

Output Interface: 8 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ



BROMPTON Tessera SX40

Brompton’s 4K Tessera SX40 LED processor offers support for full 4K screens - highest capacity processor.

SPECIFICATION

Input Res: 4096 x 2160px


Capacity: 9 Million Pixels

Output Interface: 8 Ethernet Ports

Supply Voltage: AC-100-240V-50/60HZ

SCREENS

Our LED TV screens, from 24" monitors to 98" displays, are built to meet the demands of events and exhibitions. Ideal for looping media, live feeds, presentations, and interactive content, they offer high-resolution visuals, vibrant colours, and reliable performance. With flexible mounting options and multiple inputs, they ensure quick setup and seamless integration.



SAMSUNG QM98N 98"

SPECIFICATION

Resolution: 3840 x 2160px (4K)

Screen Dimensions W x H x D:
2194 x 1249.8 x 75.3mm

Weight: 77.1kg

iiyama LH9875UHS 98"

SPECIFICATION

Resolution: 3840 x 2160px (4K)

Screen Dimensions W x H x D:
2204.9 x 101.7 x 1260.4mm

Weight: 83.6kg



iiyama LE8640UHS 86"

SPECIFICATION

Resolution: 3840 x 2160px (4K)

Screen Dimensions W x H x D:
1927.9 x 1098.9 x 85.9mm

Weight: 63.8kg



iiyama LE8642UHS 86"

SPECIFICATION

Resolution: 3840 x 2160px (4K)

Screen Dimensions W x H x D:
1929 x 1100 x 95.3mm

Weight: 49.5kg



01268 515100



theeventco.uk




hello@theeventco.uk



@theeventco_uk

OTHER SCREENS

MANUFACTURER	SIZE	SCREEN DIMS (W x H x D)	RESOLUTION	WEIGHT
Samsung	85"	1904.3 x 1085.3 x 28.5mm	3840 x 2160px	51kg
Samsung	75"	1684.6 x 966.4 x 60.1mm	3840 x 2160px	37kg
Samsung	70"	1556.2 x 899.3 x 61.6mm	3840 x 2160px	24.8kg
Samsung	65"	1456.8 x 831.9 x 28.5mm	3840 x 2160px	21.5kg
Samsung	60"	1291 x 748.6 x 58.5mm	3840 x 2160px	15.2kg
Samsung	55"	1235.1 x 707.9 x 46.3mm	3840 x 2160px	18.1kg
Samsung	50"	1124.1 x 644.8 x 28.5mm	3840 x 2160px	11.8kg
Samsung	43"	967.5 x 557.7 x 48.3mm	3840 x 2160px	10kg
Samsung	32"	721 x 424 x 52mm	1920 x 1080px	5.42kg
iiyama	32"	714 x 454.5 x 230mm	2560 x 1440px	7.3kg
iiyama	27"	613.5 x 440.5 x 197mm	1920 x 1080px	5.3kg
Dell	27"	611.3 x 385.1 x 185mm	1920 x 1080px	4.38kg
Dell	24"	537.8 x 356.1 x 166mm	1920 x 1080px	5.25kg



INTERACTIVE DISPLAYS

Our interactive screens, ranging from 21.5" to 86", are ideal for events and exhibitions. With responsive multi-touch technology and reliable performance from leading brands like iiyama, they're perfect for presentations, demos, wayfinding, and audience engagement. Easy to set up with flexible connectivity for a smooth event experience.



iiyama TE8668MIS 86"

SPECIFICATION

Resolution: 3840 x 2160px (4K)

Screen Dimensions W x H x D:
1988.5 x 1161 x 100.5mm

Touch Points: 20

Weight: 76kg



iiyama TE6512MIS 65"

SPECIFICATION

Resolution: 3840 x 2160px (4K)

Screen Dimensions W x H x D:
1488 x 897 x 87mm

Touch Points: 40

Weight: 35kg



OTHER INTERACTIVE DISPLAYS

MANUFACTURER	MODEL	SIZE	SCREEN DIMS (W x H x D)	RESOLUTION	WEIGHT	TOUCH POINTS
iiyama	TE6504	65"	1489 x 897 x 86mm	3840 x 2160px	38kg	20
iiyama	TE5503	55"	1269 x 773 x 86mm	3840 x 2160px	26.8kg	20
iiyama	T5562AS	55"	1264.4 x 734.9 x 65.8mm	3840 x 2160px	23.4kg	20
iiyama	TF4939	49"	1130 x 660.5 x 72.5mm	3840 x 2160px	31kg	15
iiyama	TF4361	43"	983 x 571.5 x 82.5mm	1920 x 1080px	19.5kg	40
iiyama	TF4339	43"	985 x 577.5 x 68mm	1920 x 1080px	23kg	12
iiyama	TF3215	32"	739 x 434 x 61mm	1920 x 1080px	10.3kg	30
iiyama	TF3238	32"	748 x 450 x 68mm	1920 x 1080px	14.5kg	12
Dell	S2240T	21.5"	522.5 x 370.8 x 205.7mm	1920 x 1080px	3.4kg	10



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO



COMPUTING

Enhance your event with high-performance computing solutions from leading manufacturers like Dell and Apple - designed to deliver flexibility, and seamless performance across a wide range of applications.

DEVICES

MANUFACTURER	MODEL	OPERATING SYSTEM
Dell	Vostro - Laptop	Windows
Dell	Inspiron 16 - 4K Laptop	Windows
Dell	Alienware M18 - Laptop	Windows
Dell	Optiplex Micro - Mini PC	Windows
Intel	NUC - Mini PC	Windows
Apple	Macbook Pro 13"	MacOS
Apple	Macbook Pro 16"	MacOS
Apple	iMac 21.5"	MacOS
Apple	iMac 27"	MacOS



01268 515100



theeventco.uk



hello@theeventco.uk



@theeventco_uk

TABLETS

Elevate your event experience with our range of tablets / iPads, designed to add seamless interactivity and real-time engagement. Whether you're collecting data, showcasing digital content, or enabling on-the-go connectivity, our devices are the perfect solution to keep your audience informed and involved.



APPLE iPad Pro 12.9"

SPECIFICATION

OS: iPadOS

Colour: Space Grey

Brightness: 600 nits

APPLE iPad 10.2"

SPECIFICATION

OS: iPadOS

Colour: Space Grey

Brightness: 500 nits

DEVICES

MANUFACTURER	MODEL	DEVICE COMPATIBILITY
Bouncepad	Desk / Wall Mount White / Black	iPad 10.2" iPad Pro 11" iPad Pro 12.9"
Bouncepad	Floor Mount White / Black	iPad 10.2" iPad Pro 11" iPad Pro 12.9"
Bouncepad	Lounge Mount White	iPad Pro 12.9"



PROJECTION

The right accessories can elevate the impact of your event or exhibition. We offer a versatile selection of solutions designed to complement a wide range of AV equipment - helping you bring your vision to life with precision, style and reliability.

PROJECTORS

Product	Brand	Lumens
EBG7000W	Epson	7,000lm
EBG7900U	Epson	7,000lm
PU2220B 20K	Epson	20,000lm
PU2010B 10K	Epson	10,000lm
EB-L25000U 25K	Epson	25,000lm
EB-L1755U 15K	Epson	15,000lm
EB-L1505U 12K	Epson	12,000lm

PROJECTOR LENSES (Epson Laser L25000 / 30000 Series Only)

Product	Brand	Product Description	Throw Ratio
ELPLU05	Epson	Short Throw Lens	0.91 - 1.09:1
ELPLW07	Epson	Wide Throw Lens	1.3 - 1.76:1
ELPLR05	Epson	Rear Projection Lens	0.6:1 (Fixed)
ELPLM12	Epson	Middle Throw Lens	1.74 - 2.35:1
ELPLM13	Epson	Middle Throw Lens	2.3 - 3.46:1
ELPLM14	Epson	Middle Throw Lens	3.42 - 5.11:1
ELPLL09	Epson	Long Throw Lens	4.79 - 7.30:1
ELPLL10	Epson	Long Throw Lens	6.73 - 10.45:1

PROJECTOR LENSES (Epson Laser PU & L1000 Series Only)

Product	Brand	Product Description	Throw Ratio		
			EB-L1105/1405	EB-L1505U	EB-L1755/PU
ELPLX02 / LX02S	Epson	Ultra-Short Throw Lens (UST)	N/A	0.35:1 (Fixed)	0.35:1 (Fixed)
ELPLU03S	Epson	Short Throw Lens	0.65 - 0.78:1	0.45 - 0.57:1	0.48 - 0.57:1
ELPLU04	Epson	Short Throw Lens	0.87 - 1.06:1	0.64 - 0.78:1	0.64 - 0.78:1
ELPLW05*	Epson	Wide Zoom Lens	1.04 - 1.46:1	0.77 - 1.07:1	0.77 - 1.07:1
ELPLW08	Epson	Wide Zoom Lens	N/A	0.86 - 1.21:1	0.86 - 1.21:1
ELPLW06	Epson	Wide Zoom Lens	N/A	1.19 - 1.63:1	1.19 - 1.63:1
ELPLM08	Epson	Middle Zoom Lens	1.45 - 2.32:1	N/A	N/A
ELPLM09	Epson	Middle Zoom Lens	2.15 - 2.56:1	1.58 - 2.56:1	N/A
ELPLM15	Epson	Middle Zoom Lens	2.15 - 2.56L1	1.58 - 2.56:1	2.56:1
ELPLM10	Epson	Middle Zoom Lens	3.31 - 5.07:1	2.43 - 3.71:1	2.43 - 3.71:1
ELPLM11	Epson	Middle Zoom Lens	4.84 - 7.39:1	3.54 - 5.41:1	3.54 - 5.41:1
ELPLL08	Epson	Long Throw Lens	7.2 - 10.12:1	5.28 - 7.72:1	5.28 - 7.72:1



ACCESSORIES

The right accessories can elevate the impact of your event or exhibition. We offer a versatile selection of solutions designed to complement a wide range of AV equipment - helping you bring your vision to life with precision, style and reliability.



UNICOL Touchscreen Totem

SPECIFICATION

Single Sided: 43" Touchscreen

Double Sided: 55" Touchscreen
Landscape

Colour: Black



UNICOL Tableau Stand

SPECIFICATION

Screen Size: Up to 60"

Weight Capacity: 80kg

Colour: Black, White



UNICOL Parabella Stand

SPECIFICATION

Screen Size: Up to 70"

Weight Capacity: 80kg

Colour: Black, Silver



UNICOL VS1000 Stand

SPECIFICATION

Screen Size: Up to 70"

Weight Capacity: 60kg

Colour: Black



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO

LIGHTING

Whether you're enhancing the atmosphere with ambient static lights, adding dynamic effects with moving lights, or designing a unique experience with bespoke lighting solutions, our extensive range of professional lighting options has everything you need to captivate your audience and elevate any event or exhibition.



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)



LIGHTING

MOVING LIGHTS

STATIC LIGHTS

CREATIVE LIGHTS

LIGHTING CONTROL

MOVING LIGHTS

Discover our premium selection of cutting-edge moving lights from industry-leading brands such as Robe and Chauvet, designed to elevate every production with precision, power, and performance.



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO



Robe ESPRITE

SPECIFICATION

Lumens: 34,000 lumens

Zoom Range: 5.5° - 50°

Gobo Wheels: Static and Rotating

Pan / Tilt: 540° / 265°

Control: DMX-Controlled



Robe POINTE

SPECIFICATION

Lumens: 9,870 lumens (beam mode)

Zoom Range: 2.5° - 20°

Gobo Wheels: Static and Rotating

Pan / Tilt: 540° / 270°

Control: DMX-Controlled



Robe SPIIDER

SPECIFICATION

Lumens: 13,700 lumens

Zoom Range: 4° - 50°

Gobo Wheels: Static and Rotating

Pan / Tilt: 540° / 220°

Control: DMX-Controlled



Chauvet COLORado PXL Curve 12

SPECIFICATION

Lumens: 5,807 lumens

Zoom Range: 5.7° - 36.3°

Gobo Wheels: N/A (Pixel control only)

Pan / Tilt: 540° pan, 200° tilt (per head)

Control: DMX, sACN, Art-Net, Kling-Net



01268 515100



theeventco.uk



hello@theeventco.uk



@theeventco_uk

STATIC LIGHTS

Illuminate your next production with top-of-the-line static lights from leading brands like Astera, Chauvet and SGM designed to offer exceptional brightness, precision, and versatility for any event or environment.



ASTERA Helios Tube

SPECIFICATION

Type: LED Tube

Lumens: 1,340 lm (at 4,000 K)

Pixel Count: 8

Power Draw: 24W

IP Rating: IP65 (with FP1-SP)

Length: 550 mm

Control: DMX, CRMX, Bluetooth, Wi-Fi



ASTERA Titan Tube

SPECIFICATION

Type: LED Tube

Lumens: 2,900 lm (at 4,000 K)

Pixel Count: 16

Power Draw: 48W

IP Rating: IP65 (with FP1-SP)

Length: 1,035 mm

Control: DMX, CRMX, Bluetooth, Wi-Fi



ASTERA Hyperion Tube

SPECIFICATION

Type: LED Tube

Lumens: 5,800 lm (at 4,000 K)

Pixel Count: 32

Power Draw: 92W

IP Rating: IP65 (with FP1-SP)

Length: 2,031 mm

Control: DMX, CRMX, Bluetooth, Wi-Fi



CHAUVET COLORado

Batten 72x

SPECIFICATION

Type: LED Batten

Lumens: 1,340 lm (at 4,000 K)

Power Draw: 345W

IP Rating: IP66

Dimensions (L x H x D): 1,676 mm x 128 mm x 124 mm

Control: DMX, RDM, sACN, Art-Net



SGM P5

SPECIFICATION

Type: LED Wash Light

Lumens: ~20,000 lm

Power Draw: 450W

IP Rating: IP65

Dimensions (L x H x D): 497 mm x 268 mm x 122 mm

Control: DMX512A, RDM, Wireless DMX (LumenRadio)



SGM P6

SPECIFICATION

Type: LED Wash / Floor / Strobe

Lumens: ~20,500 lm

Power Draw: 475W

IP Rating: IP66

Dimensions (L x H x D): 508 mm x 320 mm x 166 mm

Control: DMX512A, RDM, Wireless DMX (LumenRadio)

CREATIVE LIGHTING

Elevate your vision with our range of innovative and dynamic lighting solutions, designed to inspire creativity and transform any space into an immersive experience.

Showtec Illumilift

Transform your event with the Showtec Illumilift RGBW, a dynamic, vertically-moving LED sphere that adds a new dimension of color and creativity to any space, controlled seamlessly via DMX

SPECIFICATION

Type: LED Sphere with Winch System

Power Draw: 60W

IP Rating: IP20 (Indoor use only)

Lifting Height: 4 meters (13.12 ft)

Control: DMX512 (Basic or Advanced Mode)



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO



LIGHTING CONTROL

Discover our premium range of lighting control desks, engineered to enhance precision, efficiency, and creativity in every lighting setup.



Chamsys QuickQ 2 SPECIFICATION

Display: 9.7" high-resolution touchscreen

DMX Outputs: 2 (5-pin XLR)

Power Draw: 60W

Weight: 5.2kg

Dimensions (W x D x H): 565 x 350 x 106 mm



Chamsys MagicQ MQ70 SPECIFICATION

Display: 10.1" high-resolution touchscreen

DMX Outputs: 4

Power Draw: 35W

Weight: 7kg

Dimensions (W x D x H): 525 x 350 x 60 mm



Chamsys MagicQ MQ80 SPECIFICATION

Display: 12" high-resolution touchscreen

DMX Outputs: 4

Power Draw: 35W

Weight: 8kg

Dimensions (W x D x H): 570 x 405 x 110 mm



Avolites Quartz SPECIFICATION

Display: 12.1" high-resolution touchscreen

DMX Outputs: 4 (5-pin XLR)

Power Draw: 80W

Weight: 8kg

Dimensions (W x D x H): 425 x 466 x 194 mm

VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO

AUDIO

From powerful speakers and precise microphones to advanced conference headsets, our comprehensive audio solutions are designed to provide exceptional sound quality and seamless communication, ensuring your event or exhibition delivers an unforgettable auditory experience.



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)



AUDIO

SPEAKERS

MIXING DESKS

MICROPHONES / HEADSETS

SPEAKERS

Our speaker range features industry-leading brands such as Martin Audio and Bose, offering high-performance solutions for events of all sizes - from compact portable setups to full-scale line array systems.



MA Blackline X8 Speaker

SPECIFICATION

Dims (W x H x D): 257 x 422 x 243mm

Orientation: Vertical / Horizontal

Weight: 8kg



MA FlexPoint FP6 Speaker

SPECIFICATION

Dims (W x H x D): 321 x 220 x 197mm

Orientation: Vertical / Horizontal

Weight: 5.5kg



MA CDD5 Speaker

SPECIFICATION

Dims (W x H x D): 160 x 230 x 149mm

Orientation: Vertical / Horizontal

Weight: 2.7kg

MA DX0.4 Processor



MA VIA2004 Amp



MA VIA5004 Amp



MA VIA5002 Amp



OTHER SPEAKERS

MANUFACTURER / MODEL	DIMENSIONS (W x H x D)	WEIGHT
Alto TS212 Speaker - Black	357 x 591 x 351mm	12.86kg
Alto TS308 Speaker - Black	256 x 434 x 245mm	9.2kg
Alto TS308 Speaker - White	256 x 434 x 245mm	9.2kg
Apart OVO5-W Speaker - Black	170 x 260 x 180mm	2.45kg
Apart OVO5-W Speaker - White	170 x 260 x 180mm	2.45kg
Bose L1 Pro 8 Speaker - Black	317 x 2000 x 456mm	17.4kg
Bose S1 Speaker - Black	238 x 332 x 279mm	6.5kg
JBL BOOMBOX3 Bluetooth Speaker - Black	482 x 202 x 257mm	6.70kg
JBL XTREME3 Bluetooth Speaker - Black	298 x 134 x 136mm	1.97kg

SPEAKER ACCESSORIES

In addition to a range of wall-mounted speaker options, we offer standalone speaker stands to ensure flexible setup solutions for any event or exhibition space.



K&M Speaker Stand

SPECIFICATION

Height: From 1,100 to 1810mm

Colour / Material: Black Steel

Max Load Capacity: 20kg

Weight: 10.44kg

MIXING DESKS

Explore our range of professional mixing desks, including top models from Allen & Heath, engineered for exceptional sound and reliable performance in any audio environment.



Allen and Heath ZED-10 Mixer

SPECIFICATION

The ZED-10 is a versatile and portable USB mixer, ideal for small venues, home studios, and AV setups. It features four high-quality mic/line inputs with responsive EQ, two stereo inputs, onboard FX, and a built-in USB interface for seamless computer integration—making it perfect for live sound, recording, and streaming applications.

Allen and Heath ZED-14 Mixer

SPECIFICATION

A powerful solution for live sound and recording, the ZED-14 features 6 mic/line channels with inserts, 4 stereo channels, and a 2-in/2-out USB audio interface for seamless computer integration. It includes 4 aux sends, XLR main outputs with insert points, and 3-band EQ with sweepable mids—delivered with durable 100mm faders for smooth, reliable control.



Allen and Heath ZED-18 Mixer

SPECIFICATION

Designed for flexibility in live sound and recording, the ZED-18 features 10 mic/line channels with inserts, 4 stereo channels, and a 2-in/2-out USB audio interface for easy integration with digital workflows. It includes 4 aux sends, XLR main outputs with insert points, 3-band EQ with sweepable mids, and smooth 100mm faders—delivering professional control and audio performance.





MICROPHONES / HEADSETS

This guide highlights a selection of professional microphones from leading brands such as Sennheiser, engineered for high-performance audio in a range of environments.



Sennheiser XSW 2-835 Microphone

SPECIFICATION

A professional wireless vocal system featuring a true diversity receiver with durable metal housing, automatic frequency management for quick setup, full UHF tunability, and support for up to 12 compatible channels.



Sennheiser XSW 1-ME2 Lapel Mic / Nude Headset

SPECIFICATION

Compact wireless system with antenna-switching diversity reception, integrated antennas, and automatic frequency management. Supports up to 10 compatible UHF channels for reliable, hassle-free operation.

SILENT SEMINAR HEADSETS



Ideal for events, exhibitions, and conferences, these wireless headsets deliver high-quality audio on licensable frequencies (646-672 MHz). The 45-channel models feature programmable, lockable channels and customisable LED indicators. Designed for comfort with adjustable headbands and built-in lithium batteries offering 10-12 hours of use.



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO

RIGGING

Alongside our extensive range of AV equipment, we also offer rigging truss in various lengths, angles, and configurations to support your stand from above.



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)




RIGGING

TRUSS

RIGGING - TRUSS

Truss systems add height, strength and visual impact to your exhibition stand. With flexible configurations and the ability to support hanging LED displays, lighting, and signage, truss helps your event space stand out and attract attention from every angle.

H30V Square Truss




H30V Square Truss (Silver)

Metres	Weight
0.25	2.70kg
0.29	2.90kg
0.50	4.20kg
0.71	5.40kg
1.00	7.00kg
1.50	10.10kg
2.00	12.90kg
3.00	18.90kg

H30D Triangular Truss (Silver)

Metres	Weight
0.29	2.90kg
1.00	5.10kg
2.00	9.27kg

LITEC QX30SA Truss



LITEC QX30SA 29cm Square Truss (Black)

Metres	Weight
0.50	4.95kg
1.00	7.05kg
2.00	11.80kg
2.50	14kg

LITEC QX30 29cm Square Truss (Black)


Product	Weight
Dado Connection Cube	8.00kg
2 Way 90deg Junction	5.95kg
21cm Truss Adaptor	3.65kg





CIRCULAR TRUSS


Circular truss combined with our LED flex panels creates seamless, eye-catching rings in a range of diameters. This dynamic pairing delivers smooth curves, bright visuals, and a striking 360° focal point that instantly elevates any event space



Circular Box Square Truss (Silver & Black)

Diameter
1m
2m
3m
4m
5m
6m
7m
8m

CONFIGURATIONS



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO

ALUVISION

Discover the versatility of Aluvision's Omni-55 PRO frames and custom element stands — a modular system that combines precision engineering with design freedom for creating sleek, reusable exhibition and event structures.



01268 515100



theeventco.uk



hello@theeventco.uk




[@theeventco_uk](https://www.instagram.com/theeventco_uk)



ALUVISION

FRAMES

ALUVISION CONFIGURATIONS



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO

ALUVISION FRAMES

The Omni-55 Pro frame is a sleek, versatile profile engineered with an integrated Velcro® system that securely retains fabric and panel infills on both sides. Designed for a clean, seamless finish and works seamlessly with Aluvision LED walls, making it an ideal choice for modular, professional display environments.

Aluvision Frame Sizes

Standard Sizes

496 x 496mm

496 x 992mm


496 x 1984mm

496 x 2480mm

992 x 992mm

992 x 1984mm

992 x 2480mm



01268 515100



theeventco.uk



hello@theeventco.uk



@theeventco_uk

ALUVISION CONFIGURATIONS

Using our Hi-LED LED tiles, we have a variety of creative Aluvision configurations, including arches, a 3D diamond structure, immersive cubes, and a Hi-LED floor.

Archway



Tunnel



Cubes



Diamond



VIDEO

LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO



PROJECT PORTFOLIO

Our project portfolio allows you to see examples of our AV solutions in action at various exhibitions, private events, and conferences. From high-definition LED displays and projection systems to professional audio, lighting, and control technologies, each project demonstrates the performance and reliability of our equipment.



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)



PROJECT PORTFOLIO

ABSEN LED

ALUVISION LED

RIGGED LED WALLS

SCREENS

INTERACTIVE

ABSSEN LED PANELS

absen

VIDEO



LIGHTING

AUDIO

RIGGING

ALUVISION

PORTFOLIO



01268 515100



theeventco.uk




hello@theeventco.uk



@theeventco_uk

ALUVISION LED PANELS



01268 515100



theeventco.uk



hello@theeventco.uk



@theeventco_uk

RIGGED LED WALLS

VIDEO

LIGHTING

AUDIO



RIGGING

ALUVISION

PORTFOLIO



01268 515100



theeventco.uk




hello@theeventco.uk



@theeventco_uk

RIGGED LED WALLS



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)

SCREENS

VIDEO

LIGHTING


AUDIO



RIGGING

ALUVISION

PORTFOLIO



01268 515100



theeventco.uk




hello@theeventco.uk



@theeventco_uk

INTERACTIVE



01268 515100



theeventco.uk



hello@theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)



01268 515100



theeventco.uk



[@theeventco_uk](https://www.instagram.com/theeventco_uk)